

BRVO 2

BRVO 1 264 118 44.7%
78 29.5% 39 14.8% 15 5.7% 13 4.9% 11 4.2% 11 4.2%

CRVO 1 261 96 36.8%
63 24.1% 30 11.5% 18 6.9% 12 4.6% 11 4.2%

BRVO

Image

安全性評価対象例数	264例		
副作用発現例数	118例	副作用発現率	44.7%

Image

副作用名	発現例数 (%)
	BRVO
眼障害	
結膜出血	78 (29.5%)
眼痛	39 (14.8%)
飛蚊症	13 (4.9%)
眼充血	11 (4.2%)
眼刺激	11 (4.2%)
眼の異物感	8 (3.0%)
流涙増加	8 (3.0%)
霧視	7 (2.7%)
眼部不快感	4 (1.5%)
点状角膜炎	4 (1.5%)
視力障害	3 (1.1%)
眼脂	3 (1.1%)
核性白内障	2 (0.8%)
眼瞼浮腫	2 (0.8%)
角膜炎	2 (0.8%)
眼そう痒症	2 (0.8%)
白内障	1 (0.4%)
複視	1 (0.4%)
黄斑症	1 (0.4%)
変視症	1 (0.4%)
視力低下	1 (0.4%)
一過性失明	1 (0.4%)
結膜充血	1 (0.4%)
羞明	1 (0.4%)
光視症	1 (0.4%)
網膜剥離	1 (0.4%)
硝子体剥離	1 (0.4%)

副作用名	発現例数 (%)
	BRVO
網膜裂孔	1 (0.4%)
硝子体出血	1 (0.4%)
全身障害および投与局所様態	
注射部位出血	1 (0.4%)
注射部位疼痛	1 (0.4%)
疼痛	1 (0.4%)
感染症および寄生虫症	
眼内炎	1 (0.4%)
副鼻腔炎	1 (0.4%)
傷害、中毒および処置合併症	
角膜擦過傷	5 (1.9%)
処置による疼痛	1 (0.4%)
臨床検査	
眼圧上昇	15 (5.7%)
活性化部分トロンボ プラスチン時間短縮	1 (0.4%)
好塩基球数増加	1 (0.4%)
血中アルカリ ホスファターゼ増加	1 (0.4%)
尿中結晶陽性	1 (0.4%)
神経系障害	
脳出血	1 (0.4%)
知覚過敏	1 (0.4%)
浮動性めまい	1 (0.4%)
精神障害	
不安	1 (0.4%)
血管障害	
高血圧	1 (0.4%)

□□□□□□□□□□CRVO□

Image

安全性評価対象例数	261例
副作用発現例数	96例

副作用発現率 36.8%

Image

副作用名	発現例数 (%)		副作用名	発現例数 (%)	
		CRVO			CRVO
心臓障害			網膜障害	1 (0.4%)	
心筋梗塞	1 (0.4%)		視力障害	1 (0.4%)	
眼障害			硝子体剥離	1 (0.4%)	
結膜出血	63 (24.1%)		眼の異常感	1 (0.4%)	
眼痛	30 (11.5%)		一過性失明	1 (0.4%)	
飛蚊症	12 (4.6%)		角膜浮腫	1 (0.4%)	
眼刺激	11 (4.2%)		眼瞼浮腫	1 (0.4%)	
眼部不快感	7 (2.7%)		変視症	1 (0.4%)	
眼の異物感	6 (2.3%)		眼瞼そう痒症	1 (0.4%)	
点状角膜炎	6 (2.3%)		硝子体混濁	1 (0.4%)	
流涙増加	5 (1.9%)		全身障害および投与局所様態		
眼充血	4 (1.5%)		注射部位疼痛	2 (0.8%)	
結膜充血	3 (1.1%)		免疫系障害		
結膜浮腫	2 (0.8%)		薬物過敏症	2 (0.8%)	
眼出血	2 (0.8%)		傷害、中毒および処置合併症		
羞明	2 (0.8%)		角膜擦過傷	2 (0.8%)	
硝子体出血	2 (0.8%)		角膜瘢痕	1 (0.4%)	
眼そう痒症	2 (0.8%)		臨床検査		
前眼房障害	1 (0.4%)		眼圧上昇	18 (6.9%)	
結膜炎	1 (0.4%)		神経系障害		
角膜びらん	1 (0.4%)		失神寸前の状態	1 (0.4%)	
眼脂	1 (0.4%)		皮膚および皮下組織障害		
虹彩炎	1 (0.4%)		接触性皮膚炎	1 (0.4%)	
角膜症	1 (0.4%)		紅斑	1 (0.4%)	

Image



□□□□□□□□□□□□□□□□

□□□□□□

Source URL: <https://prod.pro.novartis.com/jp-ja/products/lucentis/sideeffect/01>